


Zoom Flex Medium Fiber Flags

ZOOM-FLX-M ZOOM-FLX-M-E

The Zoom Flex Flag features a full fiber pole and wind-resistant flag. For indoor or outdoor use, the flexible, design allows the graphic to rotate in the wind. The Zoom Flex Flag comes in your choice of single or double-sided and is offered in four shapes - Feather, Straight, Teardrop and Edge. Heights vary based on flag shape. Ground stake and storage bag included.



EDGE

TEARDROP

STRAIGHT

FEATHER

features and benefits:

- Can be used indoors or out
- Graphic rotates in wind
- Ground stake and storage bag included
- Water fillable donut adds stability to the floor base (recommended)
- Four graphic shape options: Flex- Feather, Straight, Teardrop, and Edge- rectangle.
- Additional sizes available
- Double-sided graphic available
- One year hardware warranty against manufacturer defects

dimensions:

Hardware

Assembled unit:

Hardware only (when graphic is applied the dimensions vary slightly).

FLEX: 64" w x 138.63" h x 1.75" d
1626mm(w) x 3521mm(h) x 45mm(d)

FLEX-EDGE: 46" w x 116.13" h x 1.75" d
1168mm(w) x 2950mm(h) x 45mm(d)

Shipping

Shipping dimensions (hardware only):

FLEX: 48" (l) x 3" (h) x 3" (d)
1219mm(l) x 76mm(h) x 76mm(d)

FLEX-EDGE: 61" (l) x 6" (w) x 4" (d)
1550mm(l) x 152mm(w) x 102mm(d)

Approximate weight:

FLEX: 8lbs / 3.63kg

FLEX-EDGE: 9lbs / 4.09kg

Additional information:

Double-sided graphic includes opaque liner

For applications below 40 degrees fahrenheit, use sand in place of water.

Graphics will be packed in a separate box

Graphic

For more information visit:
www.exhibitors-handbook.com/graphic-templates

Additional base options




1 person assembly recommended:




SET-UP ZOOM-FLEX

Flag Size:	Number of Poles
Small	3
Medium	4
Large	4
Extra Large	5







SET-UP ZOOM-FLEX-EDGE




Flag Size:	Number of Poles
Small	3
Medium	4
Large	4
Extra Large	5



Attaching Graphic for ZOOM-FLEX



Attaching Graphic for ZOOM-FLEX-EDGE



Zoom Flag Bases

Zoom Cross Base



ZOOM-FLX-CB

*Water ring recommended

Assembled dimensions and weight:
31"W x 6.75"H x 24"D 4lbs
Shipping dimensions and weight:
32"L x 4"H x 2"D 5lbs

Zoom Square Steel Base



ZOOM-FLX-SQ

*Water ring recommended

Assembled dimensions and weight:
17.5"W x 5"H x 17.5"D 28lbs
Shipping dimensions and weight:
19"L x 18.5"H x 3.5"D 30lbs

Zoom Water Ring Base Support



ZOOM-FLX-WR

*Holds up to one gallon of liquid

Assembled dimensions and weight:
20.28"W x 5"H x 20.28"D 1lbs
Shipping dimensions and weight:
8"L x 4"H x 4"D 2lbs

Zoom Fillable Base



ZOOM-FLX-FB

*Holds up to 7 gallons of liquid

Assembled dimensions and weight:
19.7"W x 10.25"H x 19.7"D 7lbs
Shipping dimensions and weight:
22"L x 21"H x 10"D 9lbs

Zoom Ground Stake Base



ZOOM-FLX-STK

Ground Stake

Assembled dimensions and weight:
1.75"W x 2.5"H x 1.25"D 3lbs
Shipping dimensions and weight:
25"L x 2"H x 2"D 4lbs

Zoom Auger Base



ZOOM-FLX-AGR

Screw in plastic base

Assembled dimensions and weight:
8.88"W x 21.75"H x 3.75"D 3lbs
Shipping dimensions and weight:
24"L x 6"H x 6"D 4lbs

Zoom Drive-Over Base



ZOOM-FLX-DO

Capable of being driven on or over

Assembled dimensions and weight:
23.62"W x 5.71"H x 7.87"D 14lbs
Shipping dimensions and weight:
24"L x 10"H x 3"D 16lbs