

Zoom 10' Economy Popup Tent

ZM-TNT-ECO-3MX3M-FRM-SQU-2

Strong and stable, the Zoom™ 10ft Economy Popup tent features a square steel frame, making it an ideal display at any outdoor event. Stock and custom printed graphics are UV and water resistant, designed to withstand the elements. The Zoom 10ft economy tent shades and protects up to five people. Long-lasting half wall and full wall options sold separately.



features and benefits:

- Various kits available
- **Hardware kits** include frame, stakes, guy ropes & rolling carry bag
- **Canopy kits** include a canopy with a choice of either standard color or custom print and the hardware kit items
- **Half wall kits** include a panel with a choice of either standard color or custom print, 1 pole and 2 brackets
- **Half wall hardware only kits** include 1 pole and 2 brackets
- **Full wall or half wall kits** include a canopy with a choice of either standard color or custom print, sold separately
- Folds compactly into portable packing with rolling carry bag
- One year hardware warranty against manufacture defects
- Six months graphics limited warranty
- Usage in adverse weather voids warranties
- Tent legs are powder coated black and square shaped
- The OCE expandable shipping case is an optional upgrade

dimensions:

Hardware

Assembled unit:

117.25" w x 105.5" h x 118.25" d
2979mm(w) x 2680mm(h) x 3004mm(d)

Approximate weight:
55 lbs / 25 kg

Graphic

Refer to related graphic template for more information.

Visit:
www.exhibitors-handbook.com/graphic-templates

Shipping

Packs in a wheeled bag and ships in a box.

ZM-TNT-3MX3M-WHEEL-BG:
64" l x 9" h x 9" d
1626mm(l) x 229mm(h) x 229mm(d)

More detailed shipping information can be found on the following two pages.

Approximate total shipping weight:
59 lbs / 27 kg


additional information:

Graphic material:

Outdoor Canvas, there will be a solid white or black cording to hide the seam where the individual graphic panels come together.

Color material: 420D polyester PU coating
Color Options: white, black, blue, gray, red
Pantone® provided below is closest match
Canopy, Full wall & Half wall Stock Colors:

Red - 186C
Blue - 286C
Grey - 429C
White
Black



Leg width: 30mm
Opens to base size of 10'w x 10' d
Optional set of 4 weight bases, 22 lb. ea.
Code: ZM-TNT-STEEL-BASE-K
Additional set of 4 pegs and 3.5 meter guy ropes. Code: ZM-TNT-PEG-KIT
Caution, do not pack the base weights in the bag or case.

2 person assembly recommended:



We are continually improving and modifying our product range and reserve the right to vary the specifications without prior notice. All dimensions and weights quoted are approximate and we accept no responsibility for variance. E&OE. See Graphic Templates for graphic bleed specifications.

Codes and Shipping Information

| Code | Description | Shipping Dimension | Approximate Shipping Weight |
|----------------------------|--|--|-----------------------------|
| ZM-TNT-ECO-3MX3M-FRM-SQU-2 | 3M x 3M canopy frame with SQUARE legs and ZM-TNT-PEG-KIT set of 4 pegs (no canopy) in a black roller bag | Box: 66"l x 11"h x 11"d | 58 lb / 27 kg |
| ZM-TNT-3MX3M-CAN-BLK | BLACK canopy top 420D Polyester PU coating for 3mx3m canopy frames | Box: 24"l x 14"h x 4"d | 9 lb / 4 kg |
| ZM-TNT-3MX3M-CAN-BLU | BLUE canopy top 420D Polyester PU coating for 3mx3m canopy frames | Box: 24"l x 14"h x 4"d | 9 lb / 4 kg |
| ZM-TNT-3MX3M-CAN-G | CUSTOM PRINTED canopy top 420D Polyester PU coating for 3mx3m canopy frames | Box: 24"l x 14"h x 4"d | 9 lb / 4 kg |
| ZM-TNT-3MX3M-CAN-GRY | GRAY canopy top 420D Polyester PU coating for 3mx3m canopy frames | Box: 24"l x 14"h x 4"d | 9 lb / 4 kg |
| ZM-TNT-3MX3M-CAN-RED | RED canopy top 420D Polyester PU coating for 3mx3m canopy frames | Box: 24"l x 14"h x 4"d | 9 lb / 4 kg |
| ZM-TNT-3MX3M-CAN-WHT | WHITE canopy top 420D Polyester PU coating for 3mx3m canopy frames | Box: 24"l x 14"h x 4"d | 9 lb / 4 kg |
| ZM-TNT-3MX3M-HLF-WLL-BLK | Tent half wall, 3 meter x 0.75 meter, black on both sides 420D with UV coating | Box: 24"l x 14"h x 4"d | 2 lb / 1 kg |
| ZM-TNT-3MX3M-HLF-WLL-BLUE | Tent half wall, 3 meter x 0.75 meter, blue on both sides 420D with UV coating | Box: 24"l x 14"h x 4"d | 2 lb / 1 kg |
| ZM-TNT-3MX3M-HLF-WLL-G | Tent half wall, 3 meter x 0.75 meter, CUSTOM PRINTED on one side 420D with UV coating | Box: 24"l x 14"h x 4"d | 2 lb / 1 kg |
| ZM-TNT-3MX3M-HLF-WLL-GDBL | Tent half wall, 3 meter x 0.75 meter, CUSTOM PRINTED on both sides 420D with UV coating | Box: 24"l x 14"h x 4"d | 2 lb / 1 kg |
| ZM-TNT-3MX3M-HLF-WLL-GRY | Tent half wall, 3 meter x 0.75 meter, gray on both sides 420D with UV coating | Box: 24"l x 14"h x 4"d | 2 lb / 1 kg |
| ZM-TNT-3MX3M-HLF-WLL-RED | Tent half wall, 3 meter x 0.75 meter, red on both sides 420D with UV coating | Box: 24"l x 14"h x 4"d | 2 lb / 1 kg |
| ZM-TNT-3MX3M-HLF-WLL-WHITE | Tent half wall, 3 meter x 0.75 meter, white on both sides 420D with UV coating | Box: 24"l x 14"h x 4"d | 2 lb / 1 kg |
| ZM-TNT-3MX3M-HLFWLL-KIT | 3MX3M Tent Half wall Hardware kit, includes one half wall bar and two half wall mounting brackets | Box 1: 62"l x 5"h x 5"d | 5 lb / 3 kg |
| ZM-TNT-STEEL-BASE-K | Set of 4 black steel weights for tent frame legs, 2 per box, each base weight is 22 lb / 10 kg | Box 1: 12"l x 11"h x 3"d, 44 lb / 20 kg Box 2: 12"l x 11"h x 3"d, 44 lb / 20 kg | 88 lb / 40 kg |

Codes and Shipping Information Cont'd

| Code | Description | Shipping Dimension | Approximate Shipping Weight |
|----------------------------|--|---|-----------------------------|
| ZM-TNT-3MX3M-FLL-WLL-BLK | BLACK full tent wall, 3meter x 2.15 meter, 420D with UV coating for 3M x 3M HEX leg canopy frame | Box: 24"l x 14"h x 4"d | 5 lb / 3 kg |
| ZM-TNT-3MX3M-FLL-WLL-BLU | BLUE full tent wall, 3meter x 2.15 meter, 420D with UV coating for 3M x 3M HEX leg canopy frame | Box: 24"l x 14"h x 4"d | 5 lb / 3 kg |
| ZM-TNT-3MX3M-FLL-WLL-G | CUSTOM PRINTED full tent wall, 3meter x 2.15 meter, 420D with UV coating for 3M x 3M HEX leg canopy frame, one side | Box: 24"l x 14"h x 4"d | 5 lb / 3 kg |
| ZM-TNT-3MX3M-FLL-WLL-GDBL | CUSTOM PRINTED full tent wall, 3meter x 2.15 meter, 420D with UV coating for 3M x 3M HEX leg canopy frame, double sided | Box: 24"l x 14"h x 4"d | 5 lb / 3 kg |
| ZM-TNT-3MX3M-FLL-WLL-GRY | GRAY full tent wall, 3meter x 2.15 meter, 420D with UV coating for 3M x 3M HEX leg canopy frame | Box: 24"l x 14"h x 4"d | 5 lb / 3 kg |
| ZM-TNT-3MX3M-FLL-WLL-RED | RED full tent wall, 3meter x 2.15 meter, 420D with UV coating for 3M x 3M HEX leg canopy frame | Box: 24"l x 14"h x 4"d | 5 lb / 3 kg |
| ZM-TNT-3MX3M-FLL-WLL-WHT | WHITE full tent wall, 3meter x 2.15 meter, 420D with UV coating for 3M x 3M HEX leg canopy frame | Box: 24"l x 14"h x 4"d | 5 lb / 3 kg |
| ZM-TNT-ECO-3MX3M-SQU-2-BLK | 3M x 3M canopy frame with SQUARE legs, 4 stakes, 4 guy lines in a black roller bag with BLACK canopy top | Box 1: 66"l x 11"h x 11"d Box 2: 24"l x 14"h x 4"d | 67 lb / 31 kg |
| ZM-TNT-ECO-3MX3M-SQU-2-BLU | 3M x 3M canopy frame with SQUARE legs, 4 stakes, 4 guy lines in a black roller bag with BLUE canopy top | Box 1: 66"l x 11"h x 11"d Box 2: 24"l x 14"h x 4"d | 67 lb / 31 kg |
| ZM-TNT-ECO-3MX3M-SQU-2-G | 3M x 3M canopy frame with SQUARE legs, 4 stakes, 4 guy lines in a black roller bag with CUSTOM PRINTED canopy top | Box 1: 66"l x 11"h x 11"d Box 2: 24"l x 14"h x 4"d | 67 lb / 31 kg |
| ZM-TNT-ECO-3MX3M-SQU-2-GRY | 3M x 3M canopy frame with SQUARE legs, 4 stakes, 4 guy lines in a black roller bag with GRAY canopy top | Box 1: 66"l x 11"h x 11"d Box 2: 24"l x 14"h x 4"d | 67 lb / 31 kg |
| ZM-TNT-ECO-3MX3M-SQU-2-RED | 3M x 3M canopy frame with SQUARE legs, 4 stakes, 4 guy lines in a black roller bag with RED canopy top | Box 1: 66"l x 11"h x 11"d Box 2: 24"l x 14"h x 4"d | 67 lb / 31 kg |
| ZM-TNT-ECO-3MX3M-SQU-2-WHT | 3M x 3M canopy frame with SQUARE legs, 4 stakes, 4 guy lines in a black roller bag with WHITE canopy top | Box 1: 66"l x 11"h x 11"d Box 2: 24"l x 14"h x 4"d | 67 lb / 31 kg |
| ZM-TNT-3MX3M-HLF-K-BLK | BLACK half wall kit, includes necessary hardware & side panel 3M x 0.75M Polyester 420D with UV coating for 3MX3M frame | Box 1: 62"l x 5"h x 5"d Box 2: 24"l x 14"h x 4"d | 7 lb / 3 kg |
| ZM-TNT-3MX3M-HLF-K-BLU | BLUE half wall kit, includes necessary hardware & side panel 3M x 0.75M Polyester 420D with UV coating for 3MX3M frame | Box 1: 62"l x 5"h x 5"d Box 2: 24"l x 14"h x 4"d | 7 lb / 3 kg |
| ZM-TNT-3MX3M-HLF-K-G | CUSTOM PRINTED half wall kit, includes necessary hardware & side panel 3M x 0.75M Polyester 420D with UV coating for 3MX3M frame | Box 1: 62"l x 5"h x 5"d Box 2: 24"l x 14"h x 4"d | 7 lb / 3 kg |
| ZM-TNT-3MX3M-HLF-K-GRY | GRAY half wall kit, includes necessary hardware & side panel 3M x 0.75M Polyester 420D with UV coating for 3MX3M frame | Box 1: 62"l x 5"h x 5"d Box 2: 24"l x 14"h x 4"d | 7 lb / 3 kg |
| ZM-TNT-3MX3M-HLF-K-RED | RED half wall kit, includes necessary hardware & side panel 3M x 0.75M Polyester 420D with UV coating for 3MX3M frame | Box 1: 62"l x 5"h x 5"d Box 2: 24"l x 14"h x 4"d | 7 lb / 3 kg |
| ZM-TNT-3MX3M-HLF-K-WHT | WHITE half wall kit, includes necessary hardware & side panel 3M x 0.75M Polyester 420D with UV coating for 3MX3M frame | Box 1: 62"l x 5"h x 5"d Box 2: 24"l x 14"h x 4"d | 7 lb / 3 kg |

Kit Assembly

Step by Step

Step 1.


Remove the frame out of the carry bag. Stand the frame on its feet. Clear the area for expanding the frame.

Reference Connection Method(s) 1, 2 and 3 for more details.



Step 2.


Carefully expand the frame to approximately 1/3 open. Use caution when handling and interacting with this product, it may contain sharp and pinching components.



Step 3.


With the frame at approximately 1/3 open, spread and align the canopy over the top of the frame and Velcro attach to the 4 corners.

Reference Connection Method(s) 1, 2 and 3 for more details.



Step 4.

Lift the 4 side header flaps of the canopy and Velcro attach the middle points to the scissor frame. Once these are done, replace the canopy header flaps.



Kit Assembly

Step by Step

Step 5.

Expand the frame and lock in the 4 upper sliding hubs at each corner. You can unlock the sliding hub by pressing and holding the red lever to disengage the internal prong.

Refer to Connection Method 1 for more details.



Step 6.

Expand the legs to one side of the tent until the sliding hubs snap lock into the first hole. Then lift the opposite side to level out. You can unlock the sliding hub by pressing and holding the red lever to disengage the internal prong.

Refer to Connection Method 2 for more details.



Step 7.

With the frame leveled at the first hole of each leg, continue to move the sliding hubs up to the 3rd hole. You can unlock the sliding hub by pressing and holding the red lever to disengage the internal prong.

Refer to Connection Method 2 for more details.



Step 8.

The frame will have one canopy tensioner at the center of the underside. Carefully turn the lever clockwise to create tension on the canopy and eliminate wrinkles.

Refer to Connection Method(s) 3 for more details.

Canopy kit is complete.



Kit Assembly

Step by Step

Step 9.

Attach the full wall panel to the canopy top. Start the Velcro attachment on the inside of the canopy, top left corner.



Step 10.

Secure the full wall panel to the frame legs with the Velcro tabs.

Full wall application is complete.



Step 11.

For the half wall setup example, the attachment will be shown on this side of the frame back wall.

The half wall can be attached on any side without a back wall.



Step 12.

Take the half wall telescoping pole and run it through the half wall pocket.

Setup Complete



Kit Assembly

Step by Step

Step 13.

Attach the first half wall bracket to one of the frame legs.

For this example, attachment to this side of the frame is shown.



Step 14.

Attach the second half wall bracket to the opposite frame leg.

For this example, attachment to this side of the frame is shown.



Step 15.

Velcro attach the half wall to the frame legs.




Step 16.

Apply the optional base weights to the frame legs and use the guy wires and pegs to hold down your tent securely when outdoors. Caution, do not pack the base weights in the bag or case.

Setup is complete.



Tent bases sold separately.



Connection Methods

Connection Method 1: Engage/Disengage Slide Lock




The frame will have four slide locks, one for each corner. When the tent scissor frame is fully extended; make sure the prong of the slide lock snaps into the tube locator hole. Press the lever on the slide lock to disengage the prong from the tube allowing to slide the lock up or down during assembly.

Connection Method 2: Extend Tent Poles



The frame will have four slide locks, one for each corner. When the tent scissor frame is fully extended; make sure the prong of the slide lock snaps into the tube locator hole. Press the lever on the slide lock to disengage the prong from the tube allowing to slide the lock up or down during assembly.

Connection Method 3: Raise Canopy Tension



The frame will have one canopy tensioner at the center of the underside. Once canopy is attached, the spring loaded tension bar will raise the canopy and eliminate wrinkles.